




# Jackets for your bottles!

Makes a great hostess gift!

## Materials needed:

- 3/8 yd. main fabric
- 3/8 yd. flannel for lining
- 3/8 interfacing
- 10 inches black Velcro, both sides
- 1 sheet of glitter foam
- Double stick tape

It's best to read thru the directions before starting!




1. Tape the pattern pieces together at the connection triangles and cut out the 5 pattern pieces.




2. Cut 1 layer of the main fabric and 1 layer of the flannel lining. Also cut the strips of Velcro, the longer strip is for the belt, we'll use the soft side and the 2 shorter lengths we'll use the loop side of the Velcro. Cut 1 buckle out of a glitter foam sheet, it's easiest to trace the pattern on to the back side of the film and then cut.




3. Cut 1 layer of stiff interfacing, (fusible or sew in). If fusible, press it onto the wrong side of flannel lining.



4. Lay jackets right sides together. Interfacing should be on the top (wrong side of the flannel lining). Mark a  $\frac{1}{2}$ " seam allowance all around, mark where to leave the opening.



5. Sew  $\frac{1}{2}$ " as marked, leaving the area open between the notches as shown, clip the upper corners and make clips where the stitch is curved, this helps it lay smoother when it's turned right side out.



**6.** Turn the jacket right sides out (if you use a sew in interfacing be sure you turn the first 2 layers out and not the interfacing side out).

Hand stitch the opening closed or use a fusing tape to bond it closed.






**7.** Fold over the edges as shown, most bottles you'll need to turn over about  $\frac{3}{4}$  of an inch, best to check the bottle you plan to use, if you're not sure, cut the Velcro tab just a bit longer so it has more space to catch the other side if needed. Make your marks about 4 inches up from the bottom (bottom jacket has the curves).

**8.** Sew the short end of the Velcro tab together as show, loop side faces down on the small tab. The Soft side of the Velcro is facing up to be the belt.



**9.** Stitch the belt ends over the two folded edges as shown. The tab goes over the folded edge.




**10.** Trace and cut out the buckle and belt slots, it's easier if you use a pair of small scissors.

For the buckle tab, slip the Velcro (loop side down) into the slots as shown.



**11.** Wrap the jacket over the bottle and connect the Velcro tab in the center over the bottle and be sure it is tight over the bottle.



**12.** place the buckle over the belt with the loop side down to catch the soft side of the belt.



**13.** Use some double sided tape to help bottle stick to flannel lining. If the jacket is not tight enough the bottle can slip right thru, the tape gives it a little extra grip